ERRATUM: "PHOTOIONIZATION MODELING OF OXYGEN K ABSORPTION IN THE INTERSTELLAR MEDIUM, THE *CHANDRA* GRATING SPECTRA OF XTE J1817-330" (2013, ApJ, 768, 60)

E. Gatuzz¹, J. García^{2,3}, C. Mendoza^{1,4}, T. R. Kallman³, M. Witthoeft³, A. Lohfink², M. A. Bautista⁵, P. Palmeri⁶, and P. Quinet^{6,7}

In the published version of this paper, there are some minor inaccuracies in the absorption-line wavelengths listed in Table 4 as a result of a faulty reduction procedure of the Obs6615 spectrum. The shifts have been detected in a comparison with the wavelengths listed for this spectrum in the *Chandra* Transmission Grating Catalog and Archive (TGCat⁸). They are due to incorrect centroid positions of the zero-order image in both reductions as determined by the tgdetect utility which, when disentangled, yield the improved line positions of the amended Table 4 given below. It must also be pointed out that other quantitative findings of the original paper:

- 1. Table 5, p. 9: the column density $(N_{\rm H})$, ionization parameter, oxygen abundance of the warmabs model and the normalization and photon index of the power-law model;
- 2. Table 6, p. 9: the hydrogen column density of the warmabs fit;
- 3. Table 7, p. 9: the present oxygen equivalent widths of XTE J1817-330; and
- 4. Table 8, p. 10: the present oxygen column densities of XTE J1817-330 derived from both the curve of growth and warmabs model fit

have been revised in the new light and are, within the estimated uncertainty ranges, in good accord with the new rendering.

Table 4Absorption Line Assignments

Ion	Transition	λ^a	λ^{b}
		(Å)	(Å)
O VII	$1s^2 {}^1S - [1s]2p {}^1P^0$	21.593 ± 0.002	21.60 ± 0.06
O vi	$2s^{2}S-[1s]2s2p^{2}P^{o}$	22.024 ± 0.003	
OII	$2p^3 {}^4S^{0}$ –[1s] $2p^34p {}^4P$	22.108 ± 0.004	
OII	$2p^3 {}^4S^{0}$ –[1s] $2p^33p {}^4P$	22.287 ± 0.004	
Oı	$2p^4 {}^3P - [1s]2p^4({}^2P)4p {}^3P^0$	22.612 ± 0.006	
Oı	$2p^4 {}^3P - [1s]2p^4 (^2P)3p {}^3P^0$	22.692 ± 0.005	
Oı	$2p^4 {}^3P - [1s]2p^4 ({}^4P)4p {}^3P^0$	22.794 ± 0.002	
Oı	$2p^4 {}^3P - [1s]2p^4 ({}^4P)3p {}^3P^0$	22.889 ± 0.004	22.91 ± 0.03
$O{ m III}$	$2p^2 {}^3P - [1s]2p^3 {}^3P^0$	23.057 ± 0.003	23.13 ± 0.09
OIII	$2p^2 {}^3P - [1s]2p^3 {}^3D^0, {}^3S^0$	23.110 ± 0.004	23.13 ± 0.09
OII	$2p^3 {}^4S^0 - [1s]2p^4 {}^4P$	23.346 ± 0.002	23.35 ± 0.03
Оі	$2p^4 {}^3P - [1s]2p^5 {}^3P^0$	23.506 ± 0.001	23.52 ± 0.02

Notes.

We thank members of the *Chandra* team for useful discussions relating the data processing, especially Michael Nowak for many valuable suggestions.

REFERENCE

Sala, G., Greiner, J., Bottacini, E., & Haberl, F. 2007, Ap&SS, 309, 315

¹ Centro de Física, Instituto Venezolano de Investigaciones Científicas (IVIC), P.O. Box 20632, Caracas 1020A, Venezuela; egatuzz@ivic.gob.ve, claudio@ivic.gob.ve

² Department of Astronomy and Maryland Astronomy Center for Theory and Computation, University of Maryland, College Park, MD 20742, USA; javier@astro.umd.edu, alohfink@astro.umd.edu

³ NASA Goddard Space Flight Center, Greenbelt, MD 20771, USA; timothy.r.kallman@nasa.gov, michael.c.witthoeft@nasa.gov

⁴ Centro Nacional de Cálculo Científico Universidad de Los Andes (CeCalCULA), Corporación Parque Tecnológico de Mérida, Mérida 5101, Venezuela ⁵ Department of Physics, Western Michigan University, Kalamazoo, MI 49008, USA; manuel.bautista@wmich.edu

⁶ Astrophysique et Spectroscopie, Université de Mons-UMONS, B-7000 Mons, Belgium; palmeri@umons.ac.be, quinet@umons.ac.be

⁷ IPNAS, Sart Tilman B15, Université de Liège, B-4000 Liège, Belgium

*Received 2013 August 19; published 2013 November 6

^a Present work.

^b Sala et al. (2007).

⁸ http://tgcat.mit.edu/